





ISS.	AMEND	DATE
1	ISSUED	19/12/14



- KIT INCLUDES**
- 100mm ALI EXTRUSION
 - 100mm BASE PLATE
 - 1x RH END
 - 1x LH END
 - 8x SCREWS
 - 1x DPDT ON/OFF SWITCH

SUPPLIED ASSEMBLED + SWITCH

RoHS COMPLIANT
TOLERANCE NO DEC. PLACE ± 1 DEC. PLACE ± 2 DEC. PLACE ± HOLE Ø ± ANGLES ± UNLESS OTHERWISE STATED
DO NOT SCALE


CLIFF

SWITCHES

4066 SERIES



FC71025 SPDT ON/OFF
solder tags.
FC71035 SPDT ON/OFF
PC tags
FC7105 DPDT Momentary
solder tags.
FC71055 DPDT ON/OFF
solder tags.
FC7106 DPDT Momentary
PC tags
FC71065 DPDT ON/OFF
PC tags




Rated 1A. 250VAC

Contact Sales for full drawing and specification.



3 POLE SERIES



FC71101



3PDT switch solder tags






Specification

Rating: AC125V 4A, 250V 2A.
Contact Resistance: 20mΩ max.
Insulation Resistance: DC500V 100MΩ min.
Dielectric Strength: AC1500V 1 minute.
Operating temp: -20°C to +65°C
Electrical life: 20,000 make/break cycles at full load.



FC71102



3PDT switch PCB tags.

For further information, contact: sales@cliffuk.co.uk

